## Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application.

Claims 1-58 (Canceled)

## 59. (New) A compound of formula II

wherein

 $R^{1}$  is  $C_{1}$  - $C_{4}$  alkyl,

R<sup>2</sup> is benzyl, p-methoxybenzyl (PMB), trimethyl-silyl, 2-(trimethylsilyl)ethoxymethyl (SEM), tetrahydropyranyl, methoxymethyl, benzyloxymethoxymethyl, benzoyl, or acetyl,

R3 is hydrogen or C1-C4 alkyl,

Y is CO<sub>2</sub>R<sup>4</sup>, CHO, CH=CH<sub>2</sub> or CH<sub>2</sub>R<sup>5</sup>,

 $R^4$  is  $C_1\text{-}C_4$  alkyl or an optionally substituted benzyl group,

R<sup>5</sup> is halogen, hydroxy, p-toluenesulfonate or -OSO<sub>2</sub>B, and

B is C<sub>1</sub>-C<sub>4</sub> alkyl or C<sub>1</sub>-C<sub>4</sub> perfluoroalkyl.

60. (New) A compound according to claim 59, wherein

R1 is C1-C4 alkyl,

R<sup>2</sup> is p-methoxybenzyl,

R<sup>3</sup> is methyl,

Y is CO<sub>2</sub>R<sup>4</sup>, and

R4 is C1-C4 alkyl.

61. (New) A compound according to claim 69, wherein R<sup>1</sup> is C<sub>1</sub>-C<sub>4</sub> alkyl,

Page 8 of 14

R<sup>2</sup> is p-methoxybenzyl, R<sup>3</sup> is hydrogen or C<sub>1</sub>-C<sub>4</sub> alkyl, and Y is CO<sub>2</sub>-ethyl.

62. (New) A compound of formula VII

wherein

R1 is hydrogen or C1-C4 alkyl,

R<sup>2</sup> is benzyl, p-methoxybenzyl (PMB), trimethyl-silyl-2-(trimethylsilyl)ethoxymethyl (SEM), tetrahydropyranyl, methoxymethyl, benzyloxymethoxymethyl, benzoyl, or acetyl, and R<sup>3</sup> is hydrogen or C<sub>1</sub>-C<sub>4</sub> alkyl.

- (New) A compound of formula VII according to claim 62 wherein R<sup>1</sup> is hydrogen or C<sub>1</sub>-C<sub>4</sub> alkyl,
   R<sup>2</sup> is p-methoxybenzyl, and
   R<sup>3</sup> is hydrogen or C<sub>1</sub>-C<sub>4</sub> alkyl.
- 64. (New) A compound according to claim 59, wherein R<sup>4</sup> is C<sub>1-4</sub> alkyl or a benzyl radical which is substituted by an electron-donating substituent.
- 65. (New) A compound according to claim 59, wherein  $R^4$  is  $C_{1-4}$  alkyl, p-methoxybenzyl or 2,4-dimethoxybenzyl.
- 66. (New) A compound according to claim 59, wherein R<sup>5</sup> is bromine or iodine.
- 67. (New) A compound according to claim 59, wherein R<sup>1</sup> is CH<sub>3</sub>.

Page 9 of 14

- 68. (New) A compound according to claim 59, wherein R<sup>3</sup> is CH<sub>3</sub>.
- 69. (New) A compound according to claim 59, wherein R<sup>2</sup> is p-methoxybenzyl (PMB).
- 70. (New) A compound according to claim 59, wherein Y is COOR<sup>4</sup>.
- 71. (New) A compound according to claim 59, wherein Y is CO<sub>2</sub>-Ethyl...
- 72. (New) A compound according to claim 59, wherein Y is CH<sub>2</sub>R<sup>5</sup>.
- 73. (New) A compound according to claim 62, wherein R<sup>3</sup> is CH<sub>3</sub>.
- 74. (New) A compound according to claim 62, wherein R<sup>2</sup> is p-methoxybenzyl (PMB).
- 75. (New) A compound according to claim 62, wherein R<sup>1</sup> is CH<sub>3</sub>.
- 76. (New) A compound according to claim 59, wherein said compound is (5S,2Z,6E)-2,6-Dimethyl-5-[(4-ethoxyphenyl)-methoxy]-7-(2-methylthiazol-4-yl)hepta-2,6-dienoic acid-ethyl ester.
- 77. (New) A compound according to claim 59, wherein said compound is (5S,2Z,6E)-2,6-Dimethyl-5-[(4-methoxyphenyl)methoxy]-7-(2-methylthiazol-4-yl)hepta-2,6-dienol.
- 78. (New) A compound according to claim 59, wherein said compound is (5S,2Z,6E)-2,6-Dimethyl-2,3-epoxy-5-[(4-methoxyphenyl)-methoxy]-7-(2-methy lthiazol-4-yl)hept-6-enol.
- 79. (New) A process for the preparation of a compound of formula IIa

comprising:

converting the .alpha.-hydroxy acid function with trifluoroacetic acid/methanol of (s)-maleic acid (III) to methyl ester, reducing the still present acid function with diborane in tetrahydrofuran to alcohol, and converting the (S)-(-)-methyl-2,4-dihydroxyester that is obtained with p-methoxybenzyldimethylacetal to the cyclic acetal (TV),

converting the methyl ester with a C<sub>1</sub>-C<sub>4</sub> alkyl-organometallic compound to obtain the corresponding alkyl ketone (V),

reacting the  $(C_1-C_4)$  alkyl ketone (V) in a Wittig reaction with the thiazolylphosphonium salt, and separating the E-isomer (VI),

converting the E-isomer (VI) by reaction with dissobutylaluminum hydride, by Swern oxidation, by Wadsworth-Homer-Emmons condensation with ethyl-2-diethoxyphosphinylpropionate or by treatment with a Horner reagent that corresponds to R<sup>3</sup>,

Page 11 of 14

and/or by purification of E-isomers to the Z-α,β-unsaturated ester (IIa),

wherein

PMP is p-methoxyphenyl, and

PMB is p-methoxybenzyl.--